

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
1	S343	68	S342 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:16	BR S
2	S342	1057	S340 and keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:15	BR S
3	S349	51	"6133909"..pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:31	BR S
4	S347	118	S338 same ((channel program) NEAR3 (macro "pre-set"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:21	BR S
5	S348	48	S347 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:30	BR S
6	S340	1438	S339 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:34	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
7	S341	90	S340 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:15	BR S
8	S346	8	S345 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:21	BR S
9	S345	89	S344 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:22	BR S
10	S344	368	S338 AND ((keyword "key word" text) NEAR2 (search list)) SAME keyboard	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:16	BR S
11	S337	2	"20060259940".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:11	BR S
12	S336	2	"20040210935".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 12:49	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
13	S338	245435	EPG ((program video TV cable channel television movie user viewer consumer) NEAR2 (guide menu list\$3 schedule)) IPG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:13	BR S
14	S350	2	"6133909".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:44	BR S
15	S339	8662	S338 AND ((keyword "key word" text) NEAR2 (search list))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 13:15	BR S
16	S351	51	"6133909"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:57	BR S
17	S352	147	brown-r\$.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:58	BR S
18	S353	0	S352 and ("x-link" or "x link")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/05/15 16:58	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
19	S363	3	S358 AND "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:42	BR S
20	S355	457	S354 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:36	BR S
21	S362	3	S358 AND "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:42	BR S
22	S361	9	S358 AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:40	BR S
23	S360	2	S358 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:49	BR S
24	S356	54	S355 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:36	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
25	S359	50	S358 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:49	BR S
26	S358	50	S357 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:36	BR S
27	S357	196	(channel program show broadcast) NEAR4 (macro) NEAR4 (button key icon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:45	BR S
28	S378	51	S377 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:41	BR S
29	S369	13	("4412218" "4959810" "5345226" "5414426" "5654714" "5726645" "5745068" "5761604" "5781247" "5847305" "5959751" "6166778" "6215531").PN.	US-PGPUB; USPAT; USOCR	2007/06/14 19:26	BR S
30	S377	93	S376 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:04	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
31	S384	163	S382 AND "715"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:54	BR S
32	S375	52	S374 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:59	BR S
33	S373	1763	(favorite preset predetermined) NEAR5 (bookmark program) NEAR5 (button key icon shortcut bookmark)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:32	BR S
34	S367	2	("5640673" "5648760").PN.	US-PGPUB; USPAT; USOCR	2007/06/14 19:22	BR S
35	S368	5	("5761604").URPN.	USPAT	2007/06/14 19:23	BR S
36	S372	81	S371 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:35	BR S
37	S374	528	S373 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:59	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
38	S370	4997	(favorite preset predetermined) NEAR4 (executable code applet Java macro function program) NEAR4 (button key icon shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:57	BR S
39	S371	258	S370 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 20:35	BR S
40	S376	193	(((\$2active closed secondary open) NEAR3 (window screen)) WITH ((channel program TV) NEAR2 (change select\$3 tun\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:09	BR S
41	S383	27	S382 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:51	BR S
42	S380	25	S379 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:41	BR S
43	S379	60	((background) NEAR3 (window screen)) WITH ((channel program TV) NEAR2 (change select\$3 tun\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:03	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
44	S382	940	S381 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:41	BR S
45	S381	3130	((inactive closed secondary background) NEAR3 (window screen view viewport)) WITH (command function instruction code execut\$3 JAVA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:10	BR S
46	S385	29	S382 AND "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 21:54	BR S
47	S354	1111	(channel program) NEAR2 (macro program) NEAR2 (button key icon)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 18:35	BR S
48	S365	3698	S364 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:38	BR S
49	S366	185	S365 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:38	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
50	S364	9048	(channel program show broadcast movie) NEAR4 (executable code applet Java macro function) NEAR4 (button key icon shortcut)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/14 19:35	BR S
51	S388	190	715/767.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:23	BR S
52	S389	18	S388 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:50	BR S
53	S387	11	("4974173" "5309555" "5463726" "5564002" "5726687" "5742285" "5841435" "5874936" "5874960" "5938724" "6016110").PN.	US-PGPUB; USPAT; USOCR	2007/06/15 15:21	BR S
54	S391	40	S390 NOT S389	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:27	BR S
55	S390	41	715/802.ccls. AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/15 15:27	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
62	S397	50	("4313113" "4484302" "4555775" "4688167" "4698624" "4698625" "4720703" "4780883" "4819189" "4831556" "4862376" "4868765" "4905185" "4922414" "4954967" "5047930" "5060135" "5079695" "5140677" "5157763" "5196838" "5202828" "5214756" "5226117" "5226163" "5228123" "5252951" "5260697" "5261043" "5287448" "5301268" "5305435" "5309555" "5315703" "5317687" "5333256" "5333298" "5339392" "5341293" "5371844" "5371851" "5388198" "5392390" "5400057" "5422993" "5428734" "5442742" "5579521" "5598524" "5638505") .PN.	US-PGPUB; USPAT; USOCR	2007/06/15 15:51	BR S
63	S400	14	("4398246") .URPN.	USPAT	2007/06/15 16:08	BR S
64	S399	11	("4392197") .URPN.	USPAT	2007/06/15 16:08	BR S
65	S398	13	("4398264") .URPN.	USPAT	2007/06/15 16:07	BR S
66	S401	3007	((favorite preset predetermined) NEAR5 (button key icon shortcut bookmark)) WITH (program schedule movie)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:33	BR S

	Ref #	Hits	Search Text	DBs	Time Stamp	Type
67	S402	349	S401 AND "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:33	BR S
68	S403	108	S402 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/06/20 14:34	BR S

	L #	Search Text	DBs	Time Stamp	Type
1	L1	(macro AND "station identifier" AND (web Internet HTML HTTP) AND (PCTV "PC/TV" "PC-TV") AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))) .clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:12	BR S
2	L2	725/39,52-53.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:40	BR S
3	L3	2 AND (macro AND "station identifier" AND (PCTV "PC/TV" "PC-TV") AND ((retriev\$3 search\$3) NEAR5 (alphanumeric alphabet\$3))) .clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:28	BR S
4	L4	2 AND (macro AND "station identifier" AND ((retriev\$3 search\$3) NEAR5 (alphanumeric alphabet\$3))) .clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:30	BR S
5	L5	brusky-kev\$.in. or ellis-will\$.in. or sturgeon-derr\$.in. or brusky-kerr\$.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:40	BR S
6	L6	(macro AND "station identifier" AND (web Internet HTML HTTP) AND (PCTV "PC/TV" "PC-TV") AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:32	BR S
7	L7	(macro AND "station identifier" AND (web Internet HTML HTTP) AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:32	BR S

	L #	Search Text	DBs	Time Stamp	Type
8	L8	(macro AND "station identifier" AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:33	BR S
9	L9	((station channel network) NEAR3 (name number identifier)) AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:12	BR S
10	L10	725/39,52-53.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:34	BR S
11	L11	9 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:45	BR S
12	L12	((station channel network) NEAR3 (name number identifier)) AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:03	BR S
13	L13	2 AND 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:37	BR S
14	L14	5 AND 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:37	BR S

	L #	Search Text	DBs	Time Stamp	Type
15	L15	((station channel network) NEAR3 (name number identifier)) AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))	US-PGPUB	2007/08/29 17:50	BR S
16	L16	brusky-kev\$.in. or ellis-will\$.in. or sturgeon-derr\$.in. or brusky-kerr\$.in.	US-PGPUB	2007/08/29 18:23	BR S
17	L17	15 AND 16	US-PGPUB	2007/08/29 15:40	BR S
18	L18	725/39,52-53.ccls.	US-PGPUB	2007/08/29 18:15	BR S
19	L19	15 AND 18	US-PGPUB	2007/08/29 15:41	BR S
20	L20	2 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:58	BR S
21	L21	"5191423"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:58	BR S
22	L22	21 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:50	BR S
23	L23	9 AND 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 15:59	BR S

	L #	Search Text	DBs	Time Stamp	Type
24	L24	"725"/\$.ccls. or "348"/\$.ccls. AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:51	BR S
25	L25	24 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:52	BR S
26	L26	((station channel network) NEAR5 (name number identifier ID)) AND ((retriev\$3 search\$3) NEAR5 (alphanumeric alphabet\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BR S
27	L27	"725"/\$.ccls. or "348"/\$.ccls. AND 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:52	BR S
28	L28	"725"/\$.ccls. or "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:13	BR S
29	L29	26 AND 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 17:52	BR S
30	L30	29 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:13	BR S

	L #	Search Text	DBs	Time Stamp	Type
31	L31	((station channel network) NEAR3 (name number identifier)) AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))).clm.	US-PGPUB	2007/08/29 18:03	BR S
32	L32	18 AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))).clm.	US-PGPUB	2007/08/29 18:03	BR S
33	L33	(macro AND "station identifier" AND (web Internet HTML HTTP) AND (PCTV "PC/TV" "PC-TV") AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:12	BR S

	L #	Hits	Search Text	DBs	Time Stamp	Type
34	L34	125	((station channel network) NEAR3 (name number identifier)) AND ((retriev\$3 search\$3) NEAR2 (alphanumeric alphabet\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:25	BR S
35	L35	143066	"725"/\$.ccls. or "348"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:13	BR S
36	L36	11	34 AND 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BR S
37	L37	1	36 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:15	BR S
38	L38	402	((station channel network) NEAR5 (name number identifier ID)) AND ((retriev\$3 search\$3) NEAR5 (alphanumeric alphabet\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BR S
39	L39	31	38 AND 35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:14	BR S
40	L40	9	39 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:15	BR S

	L #	Hits	Search Text	DBs	Time Stamp	Type
41	L41	832	725/39,52-53.ccls.	US-PGPUB	2007/08/29 18:17	BR S
42	L42	53	41 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BR S
43	L43	1289	725/39,52-53.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BR S
44	L44	239	43 AND ((@ad <= "19970930") or (@rlad <= "19970930"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BR S
45	L45	186	44 not 42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:18	BR S
46	L46	17	brusky-kev\$.in. or ellis- will\$.in. or sturgeon- derr\$.in. or brusky- kerr\$.in.	US-PGPUB	2007/08/29 18:24	BR S
47	L47	243	brusky-kev\$.in. or ellis- will\$.in. or sturgeon- derr\$.in. or brusky- kerr\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:24	BR S

	L #	Hits	Search Text	DBs	Time Stamp	Type
48	L48	0	46 AND 38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:25	BR S
49	L49	0	46 AND 34	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	2007/08/29 18:25	BR S